

Atlas Tube Arkansas
 6651 E Hwy 137
 Blytheville Arkansas USA
 72315
 Tel:
 Fax:



REF.B/L: 81189506
 Date: 12/07/2023
 Customer: 1748

Date: 1/11/2024 To: SENTRY SUPPLY dba SO#: A800696 Ln#: 1 PO#: PO246487-1 Part: T0800602540* Qty: 2
 Heat#: 23166512* Tag: B05011024 Page: 1 of 6

MATERIAL TEST REPORT

o., L.P.

Material: 3.0x3.0x313x40"0"(6x3).		Material No: 300303134000		Made in: USA												
Sales Order: 1985944		Purchase Order: SSW140098		Melted and Poured in: USA												
Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
23156562	0.210	0.750	0.007	0.004	0.030	0.032	0.090	0.001	0.011	0.040	0.050	0.003	0.001	0.0002	0.0067	0.0022
Bundle No	PCs	Yield	Tensile	Elon.2in	Certification											
M400239786	6	072031 Psi	082561 Psi	28 %	ASTM A500-21 GRADE B&C		CE: 0.36									
Heat	MILL	Mill Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location								
23156562	BIGRIVER	Osceola,AR	EAF	76.00%	95.00%	5.00 %	75%	500								
Material Note:																
Sales Or. Note:																

Material: 3.0x3.0x313x40"0"(6x3).		Material No: 300303134000		Made in: USA												
Sales Order: 1985944		Purchase Order: SSW140098		Melted and Poured in: USA												
Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
23156602	0.200	0.830	0.008	0.005	0.030	0.035	0.090	0.000	0.011	0.040	0.050	0.003	0.001	0.0001	0.0075	0.0023
Bundle No	PCs	Yield	Tensile	Elon.2in	Certification											
M400239786	12	073973 Psi	084549 Psi	31 %	ASTM A500-21 GRADE B&C		CE: 0.36									
Heat	MILL	Mill Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location								
23156602	BIGRIVER	Osceola,AR	EAF	76.00%	95.00%	5.00 %	75%	500								
Material Note:																
Sales Or. Note:																

Authorized by Quality Assurance *Jason Richard*
Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type3.1



Atlas Tube Arkansas
 6651 E Hwy 137
 Blytheville Arkansas USA
 72315
 Tel:
 Fax:



REF./L: 81189506
 Date: 12/07/2023
 Customer: 1746

MATERIAL TEST REPORT

Material: 3.0x3.0x313x40*0*0(6x3). **Material No:** 300303134000 **Made in:** USA
Sales Order: 1985944 **Purchase Order:** SSW140098 **Melted and Poured in:** USA

Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
23156562	0.210	0.750	0.007	0.004	0.030	0.032	0.090	0.001	0.011	0.040	0.050	0.003	0.001	0.0002	0.0067	0.0022
Bundle No M400239785	PCs 17	Yield 072031 Psi	Tensile 082561 Psi	Ein.2In 28 %	Certification ASTM A500-21 GRADE B&C			CE: 0.36								
Heat 23156562	MILL BIGRIVER	Mill Location Osceola,AR	Method EAF	Recycled Content 76.00%	Post Consumer 95.00%	Pre-Consumer (Post Industrial) 5.00 %	% Harvested 75%	Within Miles of Location 500								

Material Note:
Sales Or. Note:

Material: 3.0x3.0x313x40*0*0(6x3). **Material No:** 300303134000 **Made in:** USA
Sales Order: 1985944 **Purchase Order:** SSW140098 **Melted and Poured in:** USA

Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
23166552	0.220	0.740	0.007	0.002	0.030	0.031	0.070	0.001	0.013	0.040	0.040	0.004	0.001	0.0002	0.0066	0.0029
Bundle No M400239785	PCs 1	Yield 072057 Psi	Tensile 080370 Psi	Ein.2In 32 %	Certification ASTM A500-21 GRADE B&C			CE: 0.37								
Heat 23166552	MILL BIGRIVER	Mill Location Osceola,AR	Method EAF	Recycled Content 76.00%	Post Consumer 95.00%	Pre-Consumer (Post Industrial) 5.00 %	% Harvested 75%	Within Miles of Location 500								

Material Note:
Sales Or. Note:

Authorized by Quality Assurance *Jason Richard*
Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type3.1



Date: 1/11/2024 To: SENTRY SUPPLY dba SO#: A800696 Ln#: 1 PO#: PO246487-1 Pat: T0800602540* Qty: 2
 Heat#: 23166512* Tag: B05011024 Page: 2 of 6

Atlas Tube Arkansas
 6651 E Hwy 137
 Blytheville Arkansas USA
 72315
 Tel:
 Fax:



REF.B/L: 81189506
 Date: 12/07/2023
 Customer: 1746

Date: 1/11/2024 To: SENTRY SUPPLY dba SO#: A800696 Ln#: 1 PO#: PO246487-1 Part: T0800602540* Qty: 2
 Heat#: 23166512* Tag: B05011024 Page: 3 of 6

MATERIAL TEST REPORT

o., L.P.

Material: 8.0x6.0x250x48"0(3x2).		Material No: 800602504800		Made in: USA												
Sales Order: 1978335		Purchase Order: SSW139830		Melted and Poured in: USA												
Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
23166512	0.200	0.740	0.006	0.002	0.040	0.030	0.090	0.001	0.014	0.040	0.040	0.003	0.001	0.0002	0.0066	0.0038
Bundle No	PCs	Yield	Tensile	Eln.2in	Certification		CE: 0.35									
M500492164	6	059505 Psi	081285 Psi	32 %	ASTM A500-21 GRADE B&C											
Heat	MILL	Mill Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location								
23166512	BIGRIVER	Osceola,AR	EAF	76.00%	95.00%	5.00 %	75%	500								
Material Note:																
Sales Or. Note:																

Material: 8.0x6.0x250x48"0(3x2).		Material No: 800602504800		Made in: USA												
Sales Order: 1978335		Purchase Order: SSW139830		Melted and Poured in: USA												
Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
23166472	0.210	0.740	0.006	0.003	0.030	0.029	0.110	0.000	0.013	0.040	0.040	0.003	0.001	0.0002	0.0057	0.0031
Bundle No	PCs	Yield	Tensile	Eln.2in	Certification		CE: 0.36									
M500492169	3	059948 Psi	078074 Psi	35 %	ASTM A500-21 GRADE B&C											
Heat	MILL	Mill Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location								
23166472	BIGRIVER	Osceola,AR	EAF	76.00%	95.00%	5.00 %	75%	500								
Material Note:																
Sales Or. Note:																

Authorized by Quality Assurance *Jason Richard*
Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type3.1



REF. B/L: 81189506
 Date: 12/07/2023
 Customer: 1746



MATERIAL TEST REPORT

Atlas Tube Arkansas
 6651 E Hwy 137
 Blytheville Arkansas USA
 72315
 Tel:
 Fax:

Material: 8.0x6.0x250x48"0(3x2). **Material No:** 800602504800 **Made In:** USA
Sales Order: 1978335 **Purchase Order:** SSW139830 **Melted and Poured In:** USA
Heat No: 23166512 **C** 0.200 **Mn** 0.740 **P** 0.006 **S** 0.002 **Si** 0.040 **Al** 0.030 **Cu** 0.080 **Cb** 0.001 **Mo** 0.014 **Ni** 0.040 **Cr** 0.040 **V** 0.003 **Ti** 0.001 **B** 0.002 **N** 0.0068 **Ca** 0.0038
Bundle No: M500492160 **PCs:** 3 **Yield:** 064290 Psi **Tensile:** 081285 Psi **Elin.2in:** 32 % **Method:** EAF **Recycled Content:** 76.00% **Post-Consumer:** 95.00% **Pre-Consumer (Post Industrial):** 5.00 % **Certification:** ASTM A500-21 GRADE B&C **CE:** 0.35
Heat: MILL BGRIVER **MILL Location:** Osceola,AR **Method:** EAF **Recycled Content:** 76.00% **Post-Consumer:** 95.00% **Pre-Consumer (Post Industrial):** 5.00 % **CE:** 0.36
Material Note: **Within Miles of Location:** 500
Sales Or. Note:

Material: 14.0x4.0x250x40"0(1x5). **Material No:** 1400402504000 **Made In:** USA
Sales Order: 1984918 **Purchase Order:** SSW140098 **Melted and Poured In:** USA
Heat No: 23164971 **C** 0.210 **Mn** 0.750 **P** 0.008 **S** 0.002 **Si** 0.030 **Al** 0.031 **Cu** 0.080 **Cb** 0.001 **Mo** 0.022 **Ni** 0.050 **Cr** 0.050 **V** 0.004 **Ti** 0.001 **B** 0.0004 **N** 0.0070 **Ca** 0.0020
Bundle No: M500491836 **PCs:** 5 **Yield:** 064290 Psi **Tensile:** 078635 Psi **Elin.2in:** 32 % **Method:** EAF **Recycled Content:** 76.00% **Post-Consumer:** 95.00% **Pre-Consumer (Post Industrial):** 5.00 % **Certification:** ASTM A500-21 GRADE B&C **CE:** 0.36
Heat: MILL BGRIVER **MILL Location:** Osceola,AR **Method:** EAF **Recycled Content:** 76.00% **Post-Consumer:** 95.00% **Pre-Consumer (Post Industrial):** 5.00 % **CE:** 0.36
Material Note: **Within Miles of Location:** 500
Sales Or. Note:

Authorized by Quality Assurance: *Jason Richard*
 Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type 3.1



REF.B/L: 81189506
 Date: 12/07/2023
 Customer: 1746



MATERIAL TEST REPORT

Atlas Tube Arkansas
 6651 E Hwy 137
 Blytheville Arkansas USA
 72315
 Tel:
 Fax:

Material: 14.0x4.0x250x40"0(1x5). Material No: 1400402504000
 Sales Order: 1984918 Purchase Order: SSW140098

Heat No	C	Mn	P	S	SI	AI	Cu	CB	Mo	NI	Cr	V	TI	B	N	Ca
23164971	0.210	0.750	0.008	0.002	0.030	0.031	0.080	0.001	0.022	0.050	0.050	0.004	0.001	0.0004	0.0070	0.0020
Bundle No	PCs															
M500491835	5															
Heat	MILL															
23164971	BIGRIVER															
Material Note:	Osceola,AR															
Sales Or. Note:	EAF 76.00% Method Recycled Content 95.00% Post Consumer 5.00 % Pre-Consumer (Post Industrial) 75% Within Miles of Location 500															
Tensile 078635 Psi Eln.2In 32 % Certification ASTM A500-21 GRADE B&C CE: 0.36																

Material: 14.0x4.0x250x48"0(1x5). Material No: 1400402504800
 Sales Order: 1984918 Purchase Order: SSW140098

Heat No	C	Mn	P	S	SI	AI	Cu	CB	Mo	NI	Cr	V	TI	B	N	Ca
23165011	0.210	0.740	0.005	0.003	0.030	0.031	0.070	0.001	0.021	0.040	0.030	0.004	0.001	0.0002	0.0060	0.0026
Bundle No	PCs															
M500491846	4															
Heat	MILL															
23165011	BIGRIVER															
Material Note:	Osceola,AR															
Sales Or. Note:	EAF 76.00% Method Recycled Content 95.00% Post Consumer 5.00 % Pre-Consumer (Post Industrial) 75% Within Miles of Location 500															
Tensile 080778 Psi Eln.2In 32 % Certification ASTM A500-21 GRADE B&C CE: 0.36																

Authorized by Quality Assurance *Jason Richard*
 Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated us the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type3.1



REF./I/L: 81189506
 Date: 12/07/2023
 Customer: 1746



Atlas Tube Arkansas
 6651 E Hwy 137
 Blytheville Arkansas USA
 72315
 Tel:
 Fax:

MATERIAL TEST REPORT

Material:	14.0x4.0x250x48"0"(1x5).													Made In:	USA		
Sales Order:	1984918													Melted and Poured In:	USA		
Heat No	C	Min	P	S	SI	Al	Cu	Cb	Mo	NI	Cr	V	TI	B	N	Ca	
23165031	0.210	0.730	0.006	0.002	0.030	0.027	0.070	0.000	0.022	0.040	0.040	0.003	0.001	0.0002	0.0070	0.0027	
Bundle No	PCs		Yield	Tensile	Eln.2In												
M500491846	1		061678 Psi	076533 Psi	31 %	Certification ASTM A500-21 GRADE B&C											
Heat	MILL		Mill Location	Method	Recycled Content	Post_Consumer	Pre_Consumer (Post Industrial)	% Harvested	Within Miles of Location								
23165031	BIGRIVER		Osceola,AR	EAF	76.00%	95.00%	5.00 %	75%	500								
Material Note:																	
Sales Or. Note:																	

Authorized by Quality Assurance. *Jason Richard*
 Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type 3.1

